

Luminaire

Code SCKRS04UWW_OP
Name XCLICK

Measur.

Code SCKRS04UWW_OP
Name XCLICK

Luminaire Flux	1763.92 lm	Luminaire Power	40.00 W	Efficacy	44.10 lm/W	Efficiency	99.94%
Lamps Flux	1765.00 lm	Maximum value	341.05 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire		Length	1196 mm	Width	15 mm	Height	25 mm
Rectangular Luminous Area		Length	1196 mm	Width	15 mm	Height	25 mm
Horizontal Luminous Area		0.017940 m ²		Emitting area on Plane 180°		0.029900 m ²	
Emitting area on Plane 0°		0.029900 m ²		Emitting area on Plane 270°		0.000375 m ²	
Emitting area on Plane 90°		0.000375 m ²		Glare area at 76°		0.033352 m ²	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		26-08-2021		Maximum Gamma Angle		90	
Measurement Distance		0.00		Measurement Flux		883.00 lm	
Operator				Source Voltage [V]			
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		SCKRS04UWW_OP		Name XCLICK		1765.00	40.00	1
C.I.E.	46 78 95 100 100			D DIN 5040	A30			
F UTE	1.00 E			B NBN	BZ 5			

1196mm x 15mm




C Halfplanes

180.0 — 0.0

ULOR 0.00 %

DLOR 99.94 %

RN 0.00 %



Luminaire

Code SCKRS04UWW_OP
Name XCLICK

Measurem.



Code SCKRS04UWW_OP
Name XCLICK

Luminaire Flux	1763.92 lm	Luminaire Power	40.00 W	Efficacy	44.10 lm/W	Efficiency	99.94%
Lamps Flux	1765.00 lm	Maximum value	341.05 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

1196mm x 15mm

C Halfplanes

180.0  0.0



Luminaire

Code SCKRS04UWW_OP

Name XCLICK

Measurem.

Code SCKRS04UWW_OP

Name XCLICK

Luminaire Flux	1763.92 lm	Luminaire Power	40.00 W	Efficacy	44.10 lm/W	Efficiency	99.94%
Lamps Flux	1765.00 lm	Maximum value	341.05 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	20.4	21.8	20.7	22.0	24.4	22.6	24.0	22.9	24.2	24.4
x=2H y=3H	21.5	22.7	21.8	23.0	26.0	24.3	25.5	24.6	25.8	26.0
x=2H y=4H	21.9	23.0	22.2	23.3	26.7	24.9	26.1	25.3	26.4	26.7
x=2H y=6H	22.1	23.2	22.4	23.5	27.1	25.4	26.5	25.8	26.8	27.1
x=2H y=8H	22.1	23.1	22.5	23.5	27.2	25.6	26.6	25.9	26.9	27.2
x=2H y=12H	22.1	23.1	22.5	23.4	27.3	25.7	26.6	26.1	27.0	27.3
x=4H y=2H	21.2	22.3	21.5	22.6	24.7	23.0	24.1	23.3	24.4	24.7
x=4H y=3H	22.4	23.4	22.8	23.7	26.3	24.7	25.7	25.1	26.0	26.3
x=4H y=4H	22.9	23.7	23.3	24.1	27.0	25.4	26.3	25.8	26.6	27.0
x=4H y=6H	23.2	23.9	23.6	24.3	27.6	26.0	26.8	26.4	27.1	27.6
x=4H y=8H	23.2	23.9	23.7	24.3	27.7	26.2	26.9	26.6	27.3	27.7
x=4H y=12H	23.3	23.9	23.7	24.3	27.8	26.3	27.0	26.8	27.4	27.8
x=8H y=4H	23.2	23.9	23.6	24.3	27.0	25.5	26.2	25.9	26.6	27.0
x=8H y=6H	23.5	24.1	24.0	24.5	27.6	26.1	26.7	26.6	27.1	27.6
x=8H y=8H	23.6	24.1	24.1	24.6	27.8	26.4	26.9	26.9	27.3	27.8
x=8H y=12H	23.7	24.1	24.2	24.6	28.0	26.6	27.0	27.0	27.5	28.0
x=12H y=4H	23.2	23.8	23.6	24.2	27.0	25.5	26.1	25.9	26.6	27.0
x=12H y=6H	23.6	24.1	24.1	24.5	27.6	26.1	26.6	26.6	27.1	27.6
x=12H y=8H	23.7	24.1	24.2	24.6	27.8	26.4	26.8	26.9	27.3	27.8