

**Luminaire**

Code SCKRS04WW\_OP  
Name XCLICK

**Measurem.**

Code SCKRS04WW\_OP  
Name XCLICK

Luminaire Flux	1823.88 lm	Luminaire Power	40.00 W	Efficacy	45.60 lm/W	Efficiency	99.94%
Lamps Flux	1825.00 lm	Maximum value	341.05 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire		Length	1196 mm	Width	15 mm	Height	25 mm
Rectangular Luminous Area		Length	1196 mm	Width	15 mm	Height	25 mm
Horizontal Luminous Area		0.017940 m2		Emitting area on Plane 180°		0.029900 m2	
Emitting area on Plane 0°		0.029900 m2		Emitting area on Plane 270°		0.000375 m2	
Emitting area on Plane 90°		0.000375 m2		Glare area at 76°		0.033352 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		26-08-2021		Maximum Gamma Angle		90	
Measurement Distance		0.00		Measurement Flux		883.00 lm	
Operator				Source Voltage [V]			
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		SCKRS04WW_OP		Name XCLICK		1825.00	40.00	1
C.I.E.	46 78 95 100 100			D DIN 5040		A30		
F UTE	1.00 E			B NBN		BZ 5		

1196mm x 15mm




C Halfplanes

180.0 — 0.0

ULOR 0.00 %

DLOR 99.94 %

RN 0.00 %



**Luminaire**

Code SCKRS04WW\_OP  
Name XCLICK

**Measurem.**



Code SCKRS04WW\_OP  
Name XCLICK

Luminaire Flux	1823.88 lm	Luminaire Power	40.00 W	Efficacy	45.60 lm/W	Efficiency	99.94%
Lamps Flux	1825.00 lm	Maximum value	341.05 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

1196mm x 15mm

C Halfplanes

180.0 ————— 0.0



**Luminaire**

Code SCKRS04WW\_OP

Name XCLICK

**Measurem.**

Code SCKRS04WW\_OP

Name XCLICK

Luminaire Flux	1823.88 lm	Luminaire Power	40.00 W	Efficacy	45.60 lm/W	Efficiency	99.94%
Lamps Flux	1825.00 lm	Maximum value	341.05 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

**UGR**  
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	20.5	21.9	20.8	22.1	24.6	22.7	24.1	23.0	24.3	24.6
x=2H y=3H	21.6	22.8	21.9	23.1	26.1	24.4	25.6	24.7	25.9	26.1
x=2H y=4H	22.0	23.2	22.3	23.4	26.8	25.0	26.2	25.4	26.5	26.8
x=2H y=6H	22.2	23.3	22.6	23.6	27.2	25.5	26.6	25.9	26.9	27.2
x=2H y=8H	22.2	23.3	22.6	23.6	27.4	25.7	26.7	26.1	27.0	27.4
x=2H y=12H	22.2	23.2	22.6	23.5	27.4	25.8	26.8	26.2	27.1	27.4
x=4H y=2H	21.3	22.5	21.6	22.7	24.8	23.1	24.2	23.4	24.5	24.8
x=4H y=3H	22.5	23.5	22.9	23.8	26.4	24.8	25.8	25.2	26.1	26.4
x=4H y=4H	23.0	23.9	23.4	24.2	27.1	25.6	26.4	25.9	26.8	27.1
x=4H y=6H	23.3	24.0	23.7	24.4	27.7	26.1	26.9	26.5	27.3	27.7
x=4H y=8H	23.3	24.0	23.8	24.4	27.8	26.3	27.0	26.7	27.4	27.8
x=4H y=12H	23.4	24.0	23.8	24.4	27.9	26.5	27.1	26.9	27.5	27.9
x=8H y=4H	23.3	24.0	23.7	24.4	27.1	25.6	26.3	26.1	26.7	27.1
x=8H y=6H	23.6	24.2	24.1	24.7	27.7	26.3	26.8	26.7	27.3	27.7
x=8H y=8H	23.8	24.3	24.2	24.7	27.9	26.5	27.0	27.0	27.4	27.9
x=8H y=12H	23.8	24.2	24.3	24.7	28.1	26.7	27.1	27.2	27.6	28.1
x=12H y=4H	23.3	23.9	23.8	24.4	27.1	25.6	26.3	26.1	26.7	27.1
x=12H y=6H	23.7	24.2	24.2	24.6	27.7	26.3	26.8	26.7	27.2	27.7
x=12H y=8H	23.8	24.3	24.3	24.7	27.9	26.5	26.9	27.0	27.4	27.9