

Luminaire

Code SCKRS14UWW_SU_MWH
Name XCLICK S


Measurement

Code SCKRS14UWW_SU_MWH
Name XCLICK S

Luminaire Flux	223.22 lm	Luminaire Power	5.20 W	Efficacy	42.93 lm/W	Efficiency	98.77%
Lamps Flux	226.00 lm	Maximum value	5247.67 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	25 mm 25 mm	Height Height	350 mm 10 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.000491 m2 0.000250 m2 0.000250 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.000250 m2 0.000250 m2 0.000361 m2	
Coordinate system Date Measurement Distance		CG 27-08-2021 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Rotosymmetrical 90 258.00 lm	
Operator Temperature Humidity Notes		25.00 °C 60.00 %		Source Voltage [V] Source current [A] Photocell			

Luminaire Lamps						
Line	Code		Name	Flux [lm]	Pow. [W]	Q.ty
	SCKRS14UWW_SU_MWH		SCKRS14UWW SU	226.00	5.20	1
C.I.E.	95	99	100	100	99	
F UTE	0.99	A				
			D DIN 5040 B NBN	A60 BZ 1		

Diam=25mm




C Halfplanes

180.0 — 0.0

ULOR 0.00 %

DLOR 98.77 %

RN 0.00 %



Luminaire

Code SCKRS14UWW_SU_MWH
Name XCLICK S

Measurem.



Code SCKRS14UWW_SU_MWH
Name XCLICK S

Luminaire Flux	223.22 lm	Luminaire Power	5.20 W	Efficacy	42.93 lm/W	Efficiency	98.77%
Lamps Flux	226.00 lm	Maximum value	5247.67 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

Diam=25mm

C Halfplanes

180.0  0.0



Luminaire

Code SCKRS14UWW_SU_MWH

Name XCLICK S

Measurement

Code SCKRS14UWW_SU_MWH

Name XCLICK S

Luminaire Flux	223.22 lm	Luminaire Power	5.20 W	Efficacy	42.93 lm/W	Efficiency	98.77%
Lamps Flux	226.00 lm	Maximum value	5247.67 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	13.7	14.4	13.9	14.6	14.8	13.7	14.4	13.9	14.6	14.8
x=2H y=3H	13.8	14.4	14.1	14.6	14.9	13.8	14.4	14.1	14.6	14.9
x=2H y=4H	13.8	14.4	14.1	14.6	14.9	13.8	14.4	14.1	14.6	14.9
x=2H y=6H	13.8	14.3	14.1	14.6	14.9	13.8	14.3	14.1	14.6	14.9
x=2H y=8H	13.8	14.3	14.1	14.6	14.9	13.8	14.3	14.1	14.6	14.9
x=2H y=12H	13.8	14.3	14.1	14.6	14.9	13.8	14.3	14.1	14.6	14.9
x=4H y=2H	13.7	14.3	14.0	14.5	14.8	13.7	14.3	14.0	14.5	14.8
x=4H y=3H	13.8	14.3	14.2	14.6	14.9	13.8	14.3	14.2	14.6	14.9
x=4H y=4H	13.9	14.3	14.3	14.6	15.0	13.9	14.3	14.3	14.6	15.0
x=4H y=6H	13.9	14.3	14.3	14.7	15.0	13.9	14.3	14.3	14.7	15.0
x=4H y=8H	14.0	14.3	14.4	14.7	15.1	14.0	14.3	14.4	14.7	15.1
x=4H y=12H	14.0	14.3	14.4	14.7	15.1	14.0	14.3	14.4	14.7	15.1
x=8H y=4H	13.9	14.2	14.3	14.5	14.9	13.9	14.2	14.3	14.5	14.9
x=8H y=6H	13.9	14.2	14.4	14.6	15.0	13.9	14.2	14.4	14.6	15.0
x=8H y=8H	14.0	14.2	14.5	14.6	15.1	14.0	14.2	14.5	14.6	15.1
x=8H y=12H	14.1	14.2	14.5	14.7	15.2	14.1	14.2	14.5	14.7	15.2
x=12H y=4H	13.8	14.1	14.3	14.5	14.9	13.8	14.1	14.3	14.5	14.9
x=12H y=6H	13.9	14.1	14.4	14.6	15.0	13.9	14.1	14.4	14.6	15.0
x=12H y=8H	14.0	14.1	14.5	14.6	15.1	14.0	14.1	14.5	14.6	15.1