

**Luminaire**

Code FW24267CW20X45S

Name XFLEX

**Measurement**


Code FW24267CW20X45S

Name XFLEX

Luminaire Flux	2612.02 lm	Luminaire Power	20.00 W	Efficacy	130.60 lm/W	Efficiency	96.53%
Lamps Flux	2706.00 lm	Maximum value	2759.56 cd/klm	Position	C=0.00 G=0.00	CG	Asymmetrical
Rectangular Luminaire		Length	20 mm	Width	1000 mm	Height	10 mm
Rectangular Luminous Area		Length	20 mm	Width	1000 mm	Height	10 mm
Horizontal Luminous Area		0.020000 m2		Emitting area on Plane 180°		0.000200 m2	
Emitting area on Plane 0°		0.000200 m2		Emitting area on Plane 270°		0.010000 m2	
Emitting area on Plane 90°		0.010000 m2		Glare area at 76°		0.005032 m2	
Coordinate system		CG		Symmetry Type		Asymmetrical	
Date		13-07-2022		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		2706.00 lm	
Operator				Source Voltage [V]			
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		FW24267CW20X45S		Name XFLEX		2706.00	20.00	1
C.I.E.	94 99 100 100 97			D DIN 5040		A60		
F UTE	0.96 A			B NBN		BZ 1		

20mm x 1000mm




C Halfplanes

180.0 — 0.0  
270.0 — 90.0

ULOR 0.13 %

DLOR 96.40 %

RN 0.13 %



**Luminaire**

Code FW24267CW20X45S  
Name XFLEX

**Measurem.**

Code FW24267CW20X45S  
Name XFLEX



Luminaire Flux	2612.02 lm	Luminaire Power	20.00 W	Efficacy	130.60 lm/W	Efficiency	96.53%
Lamps Flux	2706.00 lm	Maximum value	2759.56 cd/klm	Position	C=0.00 G=0.00	CG	Asymmetrical

20mm x 1000mm

C Halfplanes

180.0 ————— 0.0

270.0 ————— 90.0



**Luminaire**

Code FW24267CW20X45S

Name XFLEX

**Measurement**

Code FW24267CW20X45S

Name XFLEX

Luminaire Flux	2612.02 lm	Luminaire Power	20.00 W	Efficacy	130.60 lm/W	Efficiency	96.53%
Lamps Flux	2706.00 lm	Maximum value	2759.56 cd/klm	Position	C=0.00 G=0.00	CG	Asymmetrical

**UGR**  
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	18.2	18.9	18.5	19.1	9.8	8.7	9.4	8.9	9.6	9.8
x=2H y=3H	18.2	18.8	18.4	19.0	10.3	9.2	9.9	9.5	10.1	10.3
x=2H y=4H	18.1	18.7	18.4	19.0	10.3	9.2	9.8	9.5	10.1	10.3
x=2H y=6H	18.0	18.6	18.4	18.9	10.3	9.2	9.7	9.5	10.0	10.3
x=2H y=8H	18.0	18.5	18.3	18.8	10.3	9.2	9.7	9.5	10.0	10.3
x=2H y=12H	18.0	18.5	18.3	18.8	10.3	9.1	9.6	9.5	9.9	10.3
x=4H y=2H	18.1	18.7	18.4	18.9	10.2	9.1	9.7	9.4	9.9	10.2
x=4H y=3H	18.0	18.5	18.3	18.8	10.8	9.7	10.2	10.0	10.5	10.8
x=4H y=4H	17.9	18.3	18.3	18.7	10.8	9.7	10.1	10.1	10.5	10.8
x=4H y=6H	17.9	18.2	18.2	18.6	10.8	9.7	10.0	10.1	10.4	10.8
x=4H y=8H	17.8	18.1	18.2	18.5	10.8	9.6	10.0	10.1	10.3	10.8
x=4H y=12H	17.8	18.1	18.2	18.5	10.7	9.6	9.9	10.1	10.3	10.7
x=8H y=4H	17.8	18.1	18.2	18.5	10.7	9.6	9.9	10.0	10.3	10.7
x=8H y=6H	17.7	18.0	18.2	18.4	10.7	9.6	9.8	10.0	10.3	10.7
x=8H y=8H	17.7	17.9	18.2	18.4	10.7	9.6	9.8	10.0	10.2	10.7
x=8H y=12H	17.7	17.8	18.1	18.3	10.7	9.5	9.7	10.0	10.2	10.7
x=12H y=4H	17.8	18.0	18.2	18.4	10.7	9.6	9.9	10.0	10.3	10.7
x=12H y=6H	17.7	17.9	18.2	18.3	10.7	9.6	9.8	10.0	10.2	10.7
x=12H y=8H	17.6	17.8	18.1	18.3	10.7	9.5	9.7	10.0	10.2	10.7