

Luminaire

Code GM04WW 15DEG

Name XGAMMA

Measurem.


Code GM04WW 15DEG

Name XGAMMA

Luminaire Flux	2705.57 lm	Luminaire Power	30.00 W	Efficacy	90.19 lm/W	Efficiency	99.95%
Lamps Flux	2707.00 lm	Maximum value	4787.94 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire		Diam.	100 mm	Height	10 mm		
Round Luminous Area		Diam.	100 mm	Height	10 mm		
Horizontal Luminous Area		0.007854 m2		Emitting area on Plane 180°		0.001000 m2	
Emitting area on Plane 0°		0.001000 m2		Emitting area on Plane 270°		0.001000 m2	
Emitting area on Plane 90°		0.001000 m2		Glare area at 76°		0.002870 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		18-03-2020		Maximum Gamma Angle		90	
Measurement Distance		0.00		Measurement Flux		2710.00 lm	
Operator				Source Voltage [V]			
Temperature		25.00 °C		Source current [A]			
Humidity		60.00 %		Photocell			
Notes							

Luminaire Lamps						
Line		Code	Name	Flux [lm]	Pow. [W]	Q.ty
		CM04WW 15 DEG	XGAMMA	2707.00	30.00	1
C.I.E.	94 98 100 100 100		D DIN 5040	A60		
F UTE	1.00 A		B NBN	BZ 1		

Diam=100mm



C Halfplanes

180.0 — 0.0

ULOR 0.00 %

DLOR 99.95 %

RN 0.00 %

