

Luminaire

Code DM01NW50

Name XDOMINO

Measur.



Code DM01NW50

Name XDOMINO

Luminaire Flux	911.84 lm	Luminaire Power	11.00 W	Efficacy	82.89 lm/W	Efficiency	84.35%
Lamps Flux	1081.00 lm	Maximum value	1069.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire Rectangular Luminous Area	Length Length	74 mm 74 mm	Width Width	74 mm 74 mm	Height Height	82 mm 20 mm	
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.005476 m2 0.001480 m2 0.001480 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.001480 m2 0.001480 m2 0.002761 m2			
Coordinate system Date Measurement Distance	CG 06-09-2021 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux	Rotosymmetrical 90 884.40 lm			
Operator Temperature Humidity Notes	25.00 °C 60.00 %		Source Voltage [V] Source current [A] Photocell				

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		DM01NW50		XDOMINO		1081.00	11.00	1
C.I.E.	93 98 100 100 84			D DIN 5040		A60		
F UTE	0.84 A			B NBN		BZ 1		

74mm x 74mm


 ULOR 0.00 %
 DLOR 84.35 %
 RN 0.00 %




Luminaire
 Code DM01NW50
 Name XDOMINO
Measurem.
 Code DM01NW50
 Name XDOMINO

Luminaire Flux	911.84 lm	Luminaire Power	11.00 W	Efficacy	82.89 lm/W	Efficiency	84.35%
Lamps Flux	1081.00 lm	Maximum value	1069.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

74mm x 74mm

C Halfplanes

180.0  0.0



Luminaire

Code DM01NW50
Name XDOMINO

Measurement

Code DM01NW50
Name XDOMINO

Luminaire Flux	911.84 lm	Luminaire Power	11.00 W	Efficacy	82.89 lm/W	Efficiency	84.35%
Lamps Flux	1081.00 lm	Maximum value	1069.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	16.0	16.7	16.2	16.9	17.1	16.0	16.7	16.2	16.9	17.1
x=2H y=3H	16.0	16.7	16.3	16.9	17.1	16.0	16.7	16.3	16.9	17.1
x=2H y=4H	16.0	16.6	16.3	16.9	17.2	16.0	16.6	16.3	16.9	17.2
x=2H y=6H	16.0	16.6	16.3	16.9	17.2	16.0	16.6	16.3	16.9	17.2
x=2H y=8H	16.0	16.5	16.3	16.8	17.1	16.0	16.5	16.3	16.8	17.1
x=2H y=12H	16.0	16.5	16.3	16.8	17.1	16.0	16.5	16.3	16.8	17.1
x=4H y=2H	15.9	16.5	16.2	16.8	17.0	15.9	16.5	16.2	16.8	17.0
x=4H y=3H	16.0	16.5	16.3	16.8	17.1	16.0	16.5	16.3	16.8	17.1
x=4H y=4H	16.1	16.5	16.4	16.8	17.2	16.1	16.5	16.4	16.8	17.2
x=4H y=6H	16.1	16.4	16.5	16.8	17.2	16.1	16.4	16.5	16.8	17.2
x=4H y=8H	16.1	16.4	16.5	16.8	17.2	16.1	16.4	16.5	16.8	17.2
x=4H y=12H	16.0	16.3	16.5	16.7	17.2	16.0	16.3	16.5	16.7	17.2
x=8H y=4H	16.0	16.3	16.4	16.7	17.1	16.0	16.3	16.4	16.7	17.1
x=8H y=6H	16.0	16.3	16.5	16.7	17.2	16.0	16.3	16.5	16.7	17.2
x=8H y=8H	16.0	16.3	16.5	16.7	17.2	16.0	16.3	16.5	16.7	17.2
x=8H y=12H	16.0	16.2	16.5	16.6	17.1	16.0	16.2	16.5	16.6	17.1
x=12H y=4H	16.0	16.3	16.4	16.7	17.1	16.0	16.3	16.4	16.7	17.1
x=12H y=6H	16.0	16.2	16.5	16.7	17.1	16.0	16.2	16.5	16.7	17.1
x=12H y=8H	16.0	16.2	16.5	16.6	17.1	16.0	16.2	16.5	16.6	17.1