

Luminaire

 Code DM01WW50
 Name XDOMINO


Measur.

 Code DM01WW50
 Name XDOMINO

Luminaire Flux	745.67 lm	Luminaire Power	11.00 W	Efficacy	67.79 lm/W	Efficiency	84.35%
Lamps Flux	884.00 lm	Maximum value	1069.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire Rectangular Luminous Area	Length 74 mm Length 74 mm	Width 74 mm Width 74 mm	Height 82 mm Height 20 mm				
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.005476 m2 0.001480 m2 0.001480 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.001480 m2 0.001480 m2 0.002761 m2				
Coordinate system Date Measurement Distance	CG 06-09-2021 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Rotosymmetrical 90 884.40 lm				
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell					


Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		DM01WW50		Name XDOMINO		884.00	11.00	1
C.I.E.	93 98 100 100 84			D DIN 5040	A60			
F UTE	0.84 A			B NBN	BZ 1			

74mm x 74mm



C Halfplanes

180.0 ——— 0.0

 ULOR 0.00 %
 DLOR 84.35 %
 RN 0.00 %




Luminaire
 Code DM01WW50
 Name XDOMINO
Measurem.
 Code DM01WW50
 Name XDOMINO

Luminaire Flux	745.67 lm	Luminaire Power	11.00 W	Efficacy	67.79 lm/W	Efficiency	84.35%
Lamps Flux	884.00 lm	Maximum value	1069.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

74mm x 74mm

C Halfplanes

180.0  0.0



Luminaire

Code DM01WW50
Name XDOMINO

Measurement

Code DM01WW50
Name XDOMINO

Luminaire Flux	745.67 lm	Luminaire Power	11.00 W	Efficacy	67.79 lm/W	Efficiency	84.35%
Lamps Flux	884.00 lm	Maximum value	1069.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	15.3	16.0	15.5	16.2	16.4	15.3	16.0	15.5	16.2	16.4
x=2H y=3H	15.3	16.0	15.6	16.2	16.4	15.3	16.0	15.6	16.2	16.4
x=2H y=4H	15.3	15.9	15.6	16.2	16.5	15.3	15.9	15.6	16.2	16.5
x=2H y=6H	15.3	15.9	15.6	16.2	16.5	15.3	15.9	15.6	16.2	16.5
x=2H y=8H	15.3	15.8	15.6	16.1	16.4	15.3	15.8	15.6	16.1	16.4
x=2H y=12H	15.3	15.8	15.6	16.1	16.4	15.3	15.8	15.6	16.1	16.4
x=4H y=2H	15.2	15.8	15.5	16.1	16.3	15.2	15.8	15.5	16.1	16.3
x=4H y=3H	15.3	15.8	15.6	16.1	16.4	15.3	15.8	15.6	16.1	16.4
x=4H y=4H	15.4	15.8	15.7	16.1	16.5	15.4	15.8	15.7	16.1	16.5
x=4H y=6H	15.4	15.7	15.8	16.1	16.5	15.4	15.7	15.8	16.1	16.5
x=4H y=8H	15.4	15.7	15.8	16.1	16.5	15.4	15.7	15.8	16.1	16.5
x=4H y=12H	15.3	15.6	15.8	16.0	16.5	15.3	15.6	15.8	16.0	16.5
x=8H y=4H	15.3	15.6	15.7	16.0	16.4	15.3	15.6	15.7	16.0	16.4
x=8H y=6H	15.3	15.6	15.8	16.0	16.5	15.3	15.6	15.8	16.0	16.5
x=8H y=8H	15.3	15.6	15.8	16.0	16.5	15.3	15.6	15.8	16.0	16.5
x=8H y=12H	15.3	15.5	15.8	15.9	16.4	15.3	15.5	15.8	15.9	16.4
x=12H y=4H	15.3	15.6	15.7	16.0	16.4	15.3	15.6	15.7	16.0	16.4
x=12H y=6H	15.3	15.5	15.8	16.0	16.4	15.3	15.5	15.8	16.0	16.4
x=12H y=8H	15.3	15.5	15.8	15.9	16.4	15.3	15.5	15.8	15.9	16.4