


**Luminaire**  
 Code DR03NW  
 Name XDROP  
**Measur.**  
 Code DR03NW  
 Name XDROP

Luminaire Flux	5306.85 lm	Luminaire Power	50.98 W	Efficacy	104.10 lm/W	Efficiency	80.24%
Lamps Flux	6614.00 lm	Maximum value	227.49 cd/klm	Position	C=0.00 G=5.00	CG	Asymmetrical
Rectangular Luminaire Rectangular Luminous Area	Length Length	1500 mm 1500 mm	Width Width	95 mm 95 mm	Height Height	75 mm 75 mm	
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.142500 m2 0.112500 m2 0.007125 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.112500 m2 0.007125 m2 0.143632 m2				
Coordinate system Date Measurement Distance	CG 05-08-2021 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Asymmetrical 180 6614.00 lm				
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell					

Line	Code	Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
	DR03NW	Name	XDROP	6614.00	50.98	1
C.I.E.	41 71 90 92 80	D DIN 5040	A31			
F UTE	0.74 G + 0.06 T	B NBN	BZ 5			






**Luminaire**  
 Code DR03NW  
 Name XDROP  
**Measurem.**  
 Code DR03NW  
 Name XDROP

Luminaire Flux	5306.85 lm	Luminaire Power	50.98 W	Efficacy	104.10 lm/W	Efficiency	80.24%
Lamps Flux	6614.00 lm	Maximum value	227.49 cd/klm	Position	C=0.00 G=5.00	CG	Asymmetrical

1500mm x 95mm

C Halfplanes



**Luminaire**  
Code DR03NW  
Name XDROP  
**Measurement**  
Code DR03NW  
Name XDROP

Luminaire Flux	5306.85 lm	Luminaire Power	50.98 W	Efficacy	104.10 lm/W	Efficiency	80.24%
Lamps Flux	6614.00 lm	Maximum value	227.49 cd/klm	Position	C=0.00 G=5.00	CG	Asymmetrical

**UGR**  
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	18.2	19.5	18.6	19.8	20.1	18.0	19.3	18.4	19.6	20.1
x=2H y=3H	20.1	21.2	20.5	21.7	21.5	19.5	20.7	19.9	21.1	21.5
x=2H y=4H	20.9	22.1	21.4	22.5	22.1	20.1	21.2	20.6	21.7	22.1
x=2H y=6H	21.8	22.8	22.2	23.3	22.6	20.6	21.6	21.1	22.1	22.6
x=2H y=8H	22.1	23.2	22.6	23.6	22.7	20.8	21.8	21.3	22.2	22.7
x=2H y=12H	22.5	23.5	23.0	23.9	22.8	20.9	21.9	21.4	22.3	22.8
x=4H y=2H	18.8	19.9	19.3	20.4	20.7	18.6	19.8	19.1	20.2	20.7
x=4H y=3H	20.9	21.9	21.4	22.3	22.3	20.3	21.3	20.8	21.8	22.3
x=4H y=4H	21.9	22.8	22.5	23.3	23.0	21.1	22.0	21.6	22.4	23.0
x=4H y=6H	22.9	23.7	23.5	24.2	23.6	21.7	22.5	22.2	23.0	23.6
x=4H y=8H	23.4	24.1	24.0	24.7	23.8	21.9	22.6	22.5	23.2	23.8
x=4H y=12H	23.9	24.5	24.4	25.1	23.9	22.1	22.8	22.7	23.3	23.9
x=8H y=4H	22.3	23.0	22.8	23.5	23.4	21.5	22.2	22.1	22.8	23.4
x=8H y=6H	23.4	24.1	24.0	24.6	24.1	22.3	22.9	22.9	23.4	24.1
x=8H y=8H	24.1	24.6	24.7	25.2	24.4	22.6	23.1	23.2	23.7	24.4
x=8H y=12H	24.7	25.1	25.3	25.7	24.6	22.9	23.3	23.5	23.9	24.6
x=12H y=4H	22.3	22.9	22.9	23.5	23.4	21.6	22.3	22.2	22.8	23.4
x=12H y=6H	23.5	24.1	24.1	24.6	24.2	22.4	23.0	23.0	23.5	24.2
x=12H y=8H	24.2	24.7	24.8	25.3	24.5	22.8	23.3	23.4	23.9	24.5