





Luminaire		Measur.		Lamp	
Code	EV01WW	Code	EV01WW	Code	EV01WW
Name	XEVO	Name	XEVO	Number	1
Line	IESNA-2002	Date	28-04-2014	Position	
Efficiency	98.16%	Coordinate system	VH	Total Flux	629.00 lm
Maximum value	467.04 cd/klm	Position	H=0.00 V=0.00	VH symm in H0	
Round Luminaire	Diam.	110 mm	Height	1 mm	
Round Luminous Area	Diam.	110 mm	Height	0 mm	
Horizontal Luminous Area	0.009503 m2	Emitting area on Plane 180°	0.000000 m2		
Emitting area on Plane 0°	0.000000 m2	Emitting area on Plane 270°	0.000000 m2		
Emitting area on Plane 90°	0.000000 m2	Glare area at 76°	0.002299 m2		
Symmetry Type	VH symm in H0	Beam Type	Diffuse		
Measurement Distance	0.00	Measurement Flux	629.00 lm		
Operator		Source voltage			
Temperature	25.00 °C	Source current			
Humidity	60.00 %	Photocell			
Notes					

Luminaire Lamps						
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty	
IESNA-2002	EV01WW	LED - 7.90 W	629.00	7.90	1	



Luminaire		Measur.		Lamp	
Code	EV01WW	Code	EV01WW	Code	EV01WW
Name	XEVO	Name	XEVO	Number	1
Line	IESNA-2002	Date	28-04-2014	Position	
Efficiency	98.16%	Coordinate system	VH	Total Flux	629.00 lm



Luminaire		Measur.		Lamp	
Code	EV01WW	Code	EV01WW	Code	EV01WW
Name	XEVO	Name	XEVO	Number	1
Line	IESNA-2002	Date	28-04-2014	Position	
Efficiency	98.16%	Coordinate system	VH	Total Flux	629.00 lm

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	22.3	23.5	22.6	23.7	23.9	22.3	23.5	22.6	23.7	23.9
x=2H y=3H	23.4	24.5	23.8	24.8	24.9	23.3	24.3	23.6	24.6	24.9
x=2H y=4H	23.7	24.7	24.0	24.9	25.1	23.5	24.5	23.9	24.8	25.1
x=2H y=6H	23.6	24.6	24.0	24.9	25.2	23.7	24.6	24.0	24.9	25.2
x=2H y=8H	23.6	24.5	23.9	24.8	25.2	23.7	24.6	24.1	24.9	25.2
x=2H y=12H	23.5	24.4	23.9	24.7	25.2	23.7	24.5	24.1	24.9	25.2
x=4H y=2H	22.9	23.9	23.2	24.2	24.4	22.9	23.9	23.2	24.1	24.4
x=4H y=3H	24.2	25.0	24.5	25.3	25.5	24.0	24.8	24.3	25.1	25.5
x=4H y=4H	24.5	25.2	24.8	25.5	25.8	24.3	25.1	24.7	25.4	25.8
x=4H y=6H	24.4	25.1	24.8	25.4	25.9	24.5	25.2	25.0	25.6	25.9
x=4H y=8H	24.4	25.0	24.8	25.4	26.0	24.6	25.2	25.0	25.6	26.0
x=4H y=12H	24.4	24.9	24.8	25.3	26.0	24.6	25.1	25.1	25.5	26.0
x=8H y=4H	24.6	25.2	25.0	25.6	25.9	24.5	25.1	24.9	25.5	25.9
x=8H y=6H	24.6	25.0	25.0	25.5	26.1	24.8	25.2	25.2	25.7	26.1
x=8H y=8H	24.5	25.0	25.0	25.4	26.2	24.9	25.3	25.3	25.7	26.2
x=8H y=12H	24.5	24.9	25.0	25.3	26.2	24.9	25.2	25.4	25.7	26.2
x=12H y=4H	24.6	25.1	25.0	25.5	25.9	24.5	25.0	24.9	25.4	25.9
x=12H y=6H	24.6	25.0	25.0	25.4	26.1	24.7	25.2	25.2	25.6	26.1
x=12H y=8H	24.5	24.9	25.0	25.3	26.1	24.8	25.2	25.3	25.6	26.1