





Luminaire		Measur.		Lamp	
Code	EV04NW	Code	EV04NW	Code	EV04NW
Name	XEVO	Name	XEVO	Number	1
Line	IESNA-2002	Date	29-04-2014	Position	
Efficiency	99.24%	Coordinate system	VH	Total Flux	1563.00 lm
Maximum value	467.07 cd/klm	Position	H=0.00 V=0.00	VH symm in H0	
Round Luminaire	Diam.	165 mm	Height	1 mm	
Round Luminous Area	Diam.	165 mm	Height	0 mm	
Horizontal Luminous Area	0.021382 m2		Emitting area on Plane 180°	0.000000 m2	
Emitting area on Plane 0°	0.000000 m2		Emitting area on Plane 270°	0.000000 m2	
Emitting area on Plane 90°	0.000000 m2		Glare area at 76°	0.005173 m2	
Symmetry Type	VH symm in H0	Beam Type	Diffuse		
Measurement Distance	0.00	Measurement Flux	1563.00 lm		
Operator		Source voltage			
Temperature	25.00 °C	Source current			
Humidity	60.00 %	Photocell			
Notes					

Luminaire Lamps						
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty	
IESNA-2002	EV04NW	LED - 17.90 W	1563.00	17.90	1	



Luminaire		Measur.		Lamp	
Code	EV04NW	Code	EV04NW	Code	EV04NW
Name	XEVO	Name	XEVO	Number	1
Line	IESNA-2002	Date	29-04-2014	Position	
Efficiency	99.24%	Coordinate system	VH	Total Flux	1563.00 lm



Luminaire		Measur.		Lamp	
Code	EV04NW	Code	EV04NW	Code	EV04NW
Name	XEVO	Name	XEVO	Number	1
Line	IESNA-2002	Date	29-04-2014	Position	
Efficiency	99.24%	Coordinate system	VH	Total Flux	1563.00 lm

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	22.7	23.9	23.0	24.1	24.2	22.6	23.8	22.9	24.0	24.2
x=2H y=3H	23.8	24.9	24.1	25.2	25.2	23.6	24.7	24.0	25.0	25.2
x=2H y=4H	24.1	25.1	24.5	25.4	25.5	23.9	24.9	24.3	25.2	25.5
x=2H y=6H	24.1	25.1	24.5	25.4	25.6	24.1	25.0	24.4	25.3	25.6
x=2H y=8H	24.1	25.0	24.5	25.3	25.6	24.1	25.0	24.5	25.3	25.6
x=2H y=12H	24.1	24.9	24.4	25.2	25.6	24.1	24.9	24.5	25.3	25.6
x=4H y=2H	23.2	24.2	23.6	24.5	24.7	23.2	24.2	23.5	24.4	24.7
x=4H y=3H	24.5	25.4	24.9	25.7	25.9	24.4	25.2	24.7	25.5	25.9
x=4H y=4H	25.0	25.7	25.3	26.1	26.2	24.8	25.5	25.2	25.9	26.2
x=4H y=6H	25.0	25.6	25.4	26.0	26.4	25.0	25.6	25.4	26.0	26.4
x=4H y=8H	24.9	25.5	25.4	25.9	26.4	25.0	25.6	25.4	26.0	26.4
x=4H y=12H	24.9	25.4	25.3	25.8	26.4	25.0	25.5	25.5	26.0	26.4
x=8H y=4H	25.1	25.7	25.6	26.1	26.3	24.9	25.5	25.4	25.9	26.3
x=8H y=6H	25.2	25.6	25.6	26.1	26.6	25.2	25.7	25.7	26.1	26.6
x=8H y=8H	25.1	25.5	25.6	26.0	26.6	25.3	25.7	25.8	26.2	26.6
x=8H y=12H	25.1	25.4	25.6	25.9	26.6	25.3	25.7	25.8	26.2	26.6
x=12H y=4H	25.1	25.6	25.6	26.0	26.3	24.9	25.4	25.4	25.9	26.3
x=12H y=6H	25.1	25.6	25.6	26.0	26.5	25.2	25.6	25.7	26.1	26.5
x=12H y=8H	25.1	25.5	25.6	25.9	26.6	25.3	25.6	25.8	26.1	26.6