

**Luminaire**

Code FX21NW90

Name XFACTORY

**Measur.**

Code FX21NW90

Name XFACTORY

Luminaire Flux	19600.80 lm	Luminaire Power	150.00 W	Efficacy	130.67 lm/W	Efficiency	99.98%
Lamps Flux	19604.00 lm	Maximum value	438.03 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	200 mm 200 mm	Height Height	10 mm 10 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.031416 m2 0.002000 m2 0.002000 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.002000 m2 0.002000 m2 0.009541 m2	
Coordinate system Date Measurement Distance		CG 18-03-2020 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Rotosymmetrical 180 19604.00 lm	
Operator Temperature Humidity Notes		25.00 °C 60.00 %		Source Voltage [V] Source current [A] Photocell			

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
	FX21NW90	XFACTORY	19604.00	150.00	1
C.I.E.	63 94 99 100 100	D DIN 5040	A50		
F UTE	1.00 C	B NBN	BZ 3 / 1.25 / BZ 2		

