

Luminaire

Code KA01NW
Name XKAPPA

Measur.

Code KA01NW
Name XKAPPA

Luminaire Flux	404.00 lm	Luminaire Power	5.00 W	Efficacy	80.80 lm/W	Efficiency	99.16%
Lamps Flux	407.40 lm	Maximum value	3513.88 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam.	91 mm	Height	10 mm		
		Diam.	91 mm	Height	10 mm		
Horizontal Luminous Area	0.006504 m2			Emitting area on Plane 180°		0.000910 m2	
Emitting area on Plane 0°	0.000910 m2			Emitting area on Plane 270°		0.000910 m2	
Emitting area on Plane 90°	0.000910 m2			Glare area at 76°		0.002456 m2	
Coordinate system	CG			Symmetry Type		Rotosymmetrical	
Date	03-06-2020			Maximum Gamma Angle		180	
Measurement Distance	0.00			Measurement Flux		381.00 lm	
Operator				Source Voltage [V]			
Temperature	25.00 °C			Source current [A]			
Humidity	60.00 %			Photocell			
Notes							

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
		KA01NW		Name XKAPPA		407.40	5.00	1
C.I.E.	95 98 100 100 99			D DIN 5040	A60			
F UTE	0.99 A			B NBN	BZ 1			

