

**Luminaire**

 Code KA04NW  
 Name XKAPPA

**Measur.**

 Code KA04NW  
 Name XKAPPA

Luminaire Flux	1991.49 lm	Luminaire Power	25.00 W	Efficacy	79.66 lm/W	Efficiency	95.65%
Lamps Flux	2082.00 lm	Maximum value	2202.13 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	178 mm 178 mm	Height Height	10 mm 10 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.024885 m2 0.001780 m2 0.001780 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.001780 m2 0.001780 m2 0.007747 m2	
Coordinate system Date Measurement Distance		CG 03-06-2020 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Rotosymmetrical 180 2082.00 lm	
Operator Temperature Humidity Notes		25.00 °C 60.00 %		Source Voltage [V] Source current [A] Photocell			

Luminaire Lamps						
Line		Code	Name	Flux [lm]	Pow. [W]	Q.ty
		KA04NW	XKAPPA	2082.00	25.00	1
C.I.E.	99	100	100	100	96	
F UTE	--					
			D DIN 5040 B NBN	A60 BZ 1		

