

Luminaire

 Code PXR01CCT
 Name XPILL ROUND

Measurement

 Code PXR01CCT
 Name XPILL ROUND

Luminaire Flux	3988.27 lm	Luminaire Power	40.00 W	Efficacy	99.71 lm/W	Efficiency	99.68%
Lamps Flux	4001.00 lm	Maximum value	340.74 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	380 mm 380 mm	Height Height	10 mm 10 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.113411 m2 0.003800 m2 0.003800 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.003800 m2 0.003800 m2 0.031124 m2	
Coordinate system Date Measurement Distance		CG 06-12-2019 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Rotosymmetrical 180 4001.00 lm	
Operator Temperature Humidity Notes		25.00 °C 60.00 %		Source Voltage [V] Source current [A] Photocell			

Line	Code	Luminaire Lamps Name	Flux [lm]	Pow. [W]	Q.ty
	PXR01CCT	XPILL ROUND	4001.00	40.00	1
C.I.E.	47 78 95 99 100	D DIN 5040	A31		
F UTE	0.99 E + 0.01 T	B NBN	BZ 5		

