

**Luminaire**

 Code PXQ01CCT  
 Name XPILL SQUARE

**Measurement**

 Code PXQ01CCT  
 Name XPILL SQUARE

Luminaire Flux	3871.18 lm	Luminaire Power	37.45 W	Efficacy	103.37 lm/W	Efficiency	99.54%
Lamps Flux	3889.00 lm	Maximum value	342.06 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire		Length	385 mm	Width	385 mm	Height	1 mm
Rectangular Luminous Area		Length	385 mm	Width	385 mm	Height	0 mm
Horizontal Luminous Area	0.148225 m2	Emitting area on Plane 180°		Emitting area on Plane 270°		Emitting area on Plane 0°	0.000000 m2
Emitting area on Plane 0°	0.000000 m2	Emitting area on Plane 90°	0.000000 m2	Glare area at 76°			0.035859 m2
Coordinate system	CG	Symmetry Type		Maximum Gamma Angle		Measurement Flux	Rotosymmetrical
Date	06-12-2019	Measurement Flux					180
Measurement Distance	0.00						3889.00 lm
Operator		Source Voltage [V]		Source current [A]		Photocell	
Temperature	25.00 °C						
Humidity	60.00 %						
Notes							

Line	Code	Luminaire Lamps	Flux [lm]	Pow. [W]	Q.ty
	PX01CCT	Name XPILL SQUARE	3889.00	37.45	1
C.I.E.	47 78 95 99 100	D DIN 5040	A31		
F UTE	0.98 E + 0.01 T	B NBN	BZ 5		

