

Luminaire

 Code PXQ04NW
 Name XPILL SQUARE

Measurement

 Code PXQ04NW
 Name XPILL SQUARE

Luminaire Flux	8335.62 lm	Luminaire Power	80.00 W	Efficacy	104.20 lm/W	Efficiency	99.95%
Lamps Flux	8340.00 lm	Maximum value	341.95 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire Rectangular Luminous Area	Length Length	780 mm 780 mm	Width Width	780 mm 780 mm	Height Height	10 mm 10 mm	
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°	0.608400 m2 0.007800 m2 0.007800 m2	Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°	0.007800 m2 0.007800 m2 0.154754 m2				
Coordinate system Date Measurement Distance	CG 06-12-2019 0.00	Symmetry Type Maximum Gamma Angle Measurement Flux	Rotosymmetrical 180 8340.00 lm				
Operator Temperature Humidity Notes	25.00 °C 60.00 %	Source Voltage [V] Source current [A] Photocell					

Line	Code	Luminaire Lamps Name	Flux [lm]	Pow. [W]	Q.ty
	PX04NW	XPILL SQUARE	8340.00	80.00	1
C.I.E.	47 78 95 99 100	D DIN 5040	A31		
F UTE	0.99 E + 0.01 T	B NBN	BZ 5		

