

Luminaire

 Code PT30120WW
 Name XPLANET RECESSED

Measur.


 Code PT30120WW
 Name XPLANET RECESSED

Luminaire Flux	2867.85 lm	Luminaire Power	40.90 W	Efficacy	70.12 lm/W	Efficiency	99.99%
Lamps Flux	2868.00 lm	Maximum value	351.00 cd/klm	Position	C=0.00 G=0.00	CG	Rotosymmetrical
Rectangular Luminaire		Length	1000 mm	Width	280 mm	Height	10 mm
Rectangular Luminous Area		Length	1000 mm	Width	280 mm	Height	10 mm
Horizontal Luminous Area	0.280000 m2	Emitting area on Plane 180°		Emitting area on Plane 270°		Emitting area on Plane 90°	0.010000 m2
Emitting area on Plane 0°	0.010000 m2	Emitting area on Plane 180°		Emitting area on Plane 270°		Emitting area on Plane 90°	0.002800 m2
Emitting area on Plane 90°	0.002800 m2	Emitting area on Plane 180°		Emitting area on Plane 270°		Emitting area on Plane 90°	0.077441 m2
Coordinate system	CG	Symmetry Type		Maximum Gamma Angle		Measurement Flux	Rotosymmetrical
Date	07-07-2020	Measurement Flux		Measurement Flux			180
Measurement Distance	0.00						3349.00 lm
Operator		Source Voltage [V]		Source current [A]		Photocell	
Temperature	25.00 °C						
Humidity	60.00 %						
Notes							

Luminaire Lamps

Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
	PT30120WW	XPLANET RECESSED	2868.00	40.90	1
C.I.E.	47 78 95 100 100	D DIN 5040	A30		
F UTE	1.00 E	B NBN	BZ 5		

1000mm x 280mm



C Halfplanes

180.0 — 0.0

 ULOR 0.15 %
 DLOR 99.85 %
 RN 0.15 %
